

## **MEDICINAL USIMITES FOUND IN THE FLORA OF UZBEKISTAN. ON THE EXAMPLE OF THE CAPPARACEAE FAMILY**

Scientific Adviser, A.B.Ajiev

**J.Usnatdinov**

Biological science 2-course student

### **INTRODUCTION**

Immediately many plant species have a healing flammable medicinal properties.

In recent years, large-scale work has been carried out in the Republic, great attention is paid to the development of local pharmaceuticals, industry and the creation of a raw material base of medicinal plants. In this direction, significant results were achieved in increasing the raw materials of medicinal plants and their organization of industrial plantations, comparative comparison of biologically active substances in terms of quality and quantity preferences, and selection of promising varieties. In the strategy of actions for the further development of the Republic of Uzbekistan, the tasks of "further development of the pharmaceutical industry, provision of the population and medical institutions with affordable, high-quality medicines" are outlined. Based on these tasks, it is important to form a list of local medicinal plants, determine the prospects for their use in medicine, organize large-scale plantations of promising species, substantiate their growth and development in agroplantation conditions, determine the phytochemical composition, develop breeding paths introdukcion and introduce into practice scientific and practical significance.

The resolution of the president of the Republic of Uzbekistan dated April 10, 2020 "PP-4670 on the rational use of resources, the growth of which in the Wild is the protection of medicinal plants, cultural cultivation, re-development of which is also planned a lot of work to grow and work on agroplantations from plants in the flora of Uzbekistan.

Capparis (Capparaceae) genus includes 45 units 850 species. they are distributed in tropical and subtropical climates. There are 2 units of this breed in Uzbekistan, and 6 units of units are located.

Capparis. In Uzbekistan, there are 2 types of this product. These grow as thorny (Capparis spinosa) plants. Capparis is a cultivated plant in some countries their use in medicine, organize large-scale plantations of promising species, substantiate their growth and development in agroplantation conditions, determine the phytochemical composition, develop breeding paths introduction and introduce into practice scientific and practical significance.. - [2. p-98, 99]

Capparis spinosa plant - (in Uzbek - kovul - kavar in karakalpak), this plant belongs to the genus Capparaceae, and the species of this genus are widely distributed in the dry areas of the country.

It is a 2.5m thick tree with thorns, and it is a perennial plant. It grows in fields, hills, taws, roadsides, near ravines, and on sandy soils near hills.

Capparis rosanowiana the plant is listed in the Red Book of the Republic of Uzbekistan. Capparis rosanowiana is also very prickly smooth, which grows a lot, reaching 1 metr in height. Ploughs grow on the ground. It blooms in May-June, and the fruit ripens in July-August. Very rare by nature. Mining was carried out as a test for cultivation in the Botanical Garden of the Republic of Uzbekistan, and there was no result [4. p-130., 5. p-30,34]



A)



B)

1-graph: A) Capparis spinosa. B) Capparis.

Family	group	Type	Resurrection form	Letratugin's lands	Importance in the economy
Capparaceae	Capparis	Capparis spinosa. Capparis	Perennial herb	Hills, desert, ravine places, roadsides	Medicinal, decorative, food, special area

*Capparis spinosa* L. the plant is made up of very useful plants and is also highly used in the preparation of food products, even in the diet. This plant grows well in water and sunny areas. This can also manifest itself as an, which you can see in his botanical affairs. In the future, in medicinal both vegetables, pharmacological vegetables areas student do it.

## REFERENCES

1. Decree of the president of the Republic of Uzbekistan "on measures for the protection of wild oshuachi medicinal plants, cultivation, processing and rational use of available resources" adopted on April 10, 2020, Tashkent.
2. A'.Pratov., Q.Jumaev. // Systematics of higher plants // Tashkent - 2003.
3. Ó.Pratov., L.Shamsovaliyev., E.Suleymanov., X.Akhunov., K.Ibadov., V.Mahmudov. // Botany / / (morphology, anotomy, Systematics, geobotany) "training publishing" Tashkent - 2010.
4. Red Book of the Republic of Uzbekistan. I-volume. Tashkent-2019. Plants.
5. Sodiqovna O. M., Alisherovna A. M. Classification Of Inorganic Substances and Their Types //Texas Journal of Multidisciplinary Studies. – 2021. – T. 2. – C. 231-234.
6. Кодирова Д. Т., Абидова М. А. Получение МЭА формальдегидных смол из кубового остатка //Universum: технические науки. – 2021. – №. 6-3 (87). – С. 43-45.
7. Кодирова Д. Т., Абидова М. А. Исследование системы хлорат магния-фосфат триэтаноламмония-вода //Universum: технические науки. – 2019. – №. 11-2 (68). – С. 23-27.
8. Kurbanova N. N. Subordination of land and water relations to the colonial interests of the Fergana region //Экономика и социум. – 2020. – №. 7. – С. 36-39.
9. Nasridinbekovna K. N. THE ROLE OF WOMEN'S PERSONNEL IN THE DEVELOPMENT OF THE NATIONAL ECONOMY OF UZBEKISTAN: SOCIAL AND POLITICAL STATUS (1917-1940) //Spectrum Journal of Innovation, Reforms and Development. – 2022. – T. 4. – C. 110-117.
10. Askarov B., Yuldashev A., Sultanova D. SYNERGY METHOD FOR SOLVING SOME PROBLEMS OF EDUCATION //ASJ. – 2021. – T. 2. – №. 56. – С. 15-19.
11. Sultanova D. T. PROSPECTS FOR THE DEVELOPMENT OF TOURISM IN UZBEKISTAN //Экономика и социум. – 2021. – №. 3-1. – С. 289-292.