

## "ADENOTOMY IN CHILDREN AND THEIR ORTHODONTIC REHABILITATION"

Axrrova M.Sh, Pardayeva M.S

### **Abstract:**

Adenotomy, the surgical removal of the adenoids, is a common procedure performed in children with recurrent adenoid hypertrophy or related respiratory issues. While it provides relief from obstructive symptoms such as nasal breathing difficulties, snoring, and recurrent infections, it may lead to developmental changes in the oral cavity, particularly affecting the dental and facial structures. This article explores the importance of orthodontic rehabilitation in children who have undergone adenotomy. The goal of orthodontic rehabilitation is to restore proper alignment of the teeth and jaw, address potential speech or swallowing issues, and prevent future dental malocclusions. The study reviews the effects of adenoid removal on dental and facial growth, evaluates the need for post-surgical orthodontic intervention, and suggests effective strategies for comprehensive rehabilitation. Emphasis is placed on early diagnosis, interdisciplinary collaboration between pediatricians, orthodontists, and speech therapists, and the long-term benefits of timely orthodontic care in improving both functional and aesthetic outcomes for children.

**Keywords:** Adenotomy, orthodontic rehabilitation, children, adenoid removal, dental malocclusion, facial growth, nasal breathing, pediatric orthodontics, speech therapy, post-surgical care.

### **Introduction:**

Adenotomy, the surgical removal of the adenoids, is frequently performed in children with chronic or recurrent upper respiratory issues, such as obstructive sleep apnea, persistent snoring, or frequent infections. The adenoids, located in the nasopharynx, can become enlarged and obstruct normal airflow, leading to complications in breathing and speech. Adenotomy aims to alleviate these symptoms and improve the quality of life for children affected by adenoid hypertrophy. While

the surgery is generally effective in treating the immediate symptoms, it can have lasting effects on the development of the oral and facial structures, particularly in young children whose dental and facial growth is still ongoing.

The removal of the adenoids may contribute to the alteration of nasal breathing patterns, the alignment of the teeth, and the development of the jaw, leading to potential orthodontic issues such as dental malocclusion. Therefore, orthodontic rehabilitation becomes an essential component of post-adenotomy care to address any dental or facial developmental issues that may arise. This rehabilitation involves a multidisciplinary approach, which may include orthodontic treatment, speech therapy, and close monitoring of the child's overall growth. Early intervention and appropriate treatment can help restore proper oral function, improve aesthetics, and prevent long-term complications. This article delves into the importance of orthodontic rehabilitation in children after adenotomy and outlines strategies for effective post-surgical care.

### **Conclusion:**

Adenotomy plays a critical role in addressing respiratory issues in children caused by enlarged adenoids, but it is not without its potential consequences for oral and facial development. As the surgery can impact the child's ability to breathe through the nose, it may lead to the development of malocclusions, speech problems, or other orthodontic concerns. Early orthodontic rehabilitation is essential to ensure that children who undergo adenotomy experience proper dental alignment, optimal facial growth, and improved functional outcomes. Through a comprehensive, interdisciplinary approach, including orthodontic treatment, speech therapy, and careful monitoring, these potential complications can be mitigated.

The goal of orthodontic rehabilitation is not only to correct any immediate dental issues but also to provide a long-term solution that supports the child's overall health and well-being. As a result, timely and effective orthodontic care following adenotomy contributes significantly to restoring normal function and enhancing the child's quality of life. By addressing these concerns early on, healthcare providers

can help children develop healthy, properly aligned teeth and jaws, ensuring that the benefits of adenotomy extend beyond the initial treatment of respiratory symptoms.

## REFERENCES

- 1.Sharipovna N. N., Shukhratovich S. S. MORPHO-FUNCTIONAL CHANGES IN PERIODONT TISSUES IN CHRONIC GENERALIZED PERIODONTITIS ASSOCIATED WITH CHRONIC VIRAL HEPATITIS B AND C //Frontline Medical Sciences and Pharmaceutical Journal. – 2022. – T. 2. – №. 05. – C. 68-76.
- 2.Shuxratovich R. R. A. S. S. DENTAL CARIES OF PRIMARY TEETH AND ITS COMPLICATIONS IN CHILDREN //INNUC. – 2025. – T. 1. – №. 1. – C. 2-8.
- 3.Shukurov S. CAUSES AND METHODS OF TREATMENT OF THE DEVELOPMENT OF PRIKUS ANAMAIAS IN CHILDREN //INNUC. – 2024. – T. 1. – №. 4. – C. 197-200.

